

**To:** R3 Clients[R3\_Clients@epa.gov]  
**Cc:** Graybill, Eric[graybill.eric@epa.gov]; Wagner, Christine[Wagner.Christine@epa.gov];  
Nonresponsive based on revised scope [redacted@Tetrattech.com]; Nonresponsive based on revised scope [redacted@tetrattech.com];  
Nonresponsive based on revised scope [redacted@tetrattech.com]; Nonresponsive based on revised scope [redacted@tetrattech.com]  
**From:** Nonresponsive based on revised scope [redacted@tetrattech.com]  
**Sent:** Thur 8/5/2021 2:07:39 PM (UTC)  
**Subject:** Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD REMOVAL  
Shiloh PCB ARF 2.1 ver. e August 2021.pdf

Good Morning All,

I have attached an analytical request form for the PCB sampling at Shiloh Church Road, expected to begin around August 16. This is an extension of closed case 49450. Laboratory reporting limits may be used.

Please let me know if you have any questions.

Thank you,

**Nonresponsive based on revised scope**

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

Please consider the environment before printing. Read more

\*\*\*\*\*

This email will be sent to the following EPA staff as part of the email group R3\_Clients:

**Nonresponsive based on revised scope** @epa.gov>; Cynthia Coporale <Caporale.Cynthia@epa.gov>;  
Robin Costas <Costas.Robin@epa.gov>; Warren Fortune <fortune.warren@epa.gov>; John  
Curry <curry.john@epa.gov>;  
Yingtao Chai <chai.yingtao@epa.gov>; Kathy Houston <houston.kathy@epa.gov>;  
Eric Graybill <graybill.eric@epa.gov>; Dorina Alliu <alliu.dorina@epa.gov>